ELSEVIER

Chemical Physics 245 (1999) 545–551

Chemical Physics

www.elsevier.nl/locate/chemphys

Author index

Agranovich, V.M. and A.M. Kamchatnov, Quantum confinement and superradiance of one-dimensional self-trapped Frenkel excitons 245 (1999) 175
Agulló-López, F., see Rojo, G. 245 (1999) 27
Aicken, F.M., see Munn, R.W. 245 (1999) 227
Alain, V., S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter, Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer 245 (1999) 51
Andraud, C., T. Zabulon, A. Collet and J. Zyss, Nonlinear optical properties of polyenoctupoles: a multipolar tensorial quantum analysis 245 (1999) 243
Aniszfeld, R., see Robinson, B.H. 245 (1999) 35
Axenson, T.J., see Strohkendl, F.P. 245 (1999) 285

Bagieu-Beucher, M., see Masse, R. 245 (1999) 365
Banfi, G.P., P.K. Datta, V. Degiorgio, D. Fortusini, E.E.A. Shepherd and J.N. Sherwood, Low-power frequency conversion through parametric interaction and cascaded processes in a *N*-(4-nitrophenyl)-L-prolinol crystal 245 (1999) 345
Bartkowiak, W., see Lipiński, J. 245 (1999) 263
Bauer-Gogonea, S., S. Bauer and W. Wirges, In-situ profiling of dipole polarization distributions in poled nonlinear optical polymers with electrothermal and optical techniques 245 (1999) 297
Bauer, S., see Bauer-Gogonea, S. 245 (1999) 297
Bertolotti, M., see Michelotti, F. 245 (1999) 311
Bhattacharya, D., see Steier, W.H. 245 (1999) 487
Bitterer, U., see Schmälzlin, E. 245 (1999) 73
Blanchard-Desce, M., see Alain, V. 245 (1999) 51
Blinov, L.M., M.V. Kozlovsky and G. Cipparrone, Photochromism and holographic grating recording on a chiral side-chain liquid crystalline copolymer containing azobenzene chromophores 245 (1999) 473
Bondar, M.V., see Lim, J.H. 245 (1999) 79
Bosshard, C., F. Pan, M.S. Wong, S. Manetta, R. Spreiter, C. Cai, P. Günter and V. Gramlich, Nonlinear optical organic co-crystals of merocyanine dyes and phenolic derivatives with short hydrogen bonds 245 (1999) 377
Bosshard, C., see Alain, V. 245 (1999) 51
Bouevitch, O., see Lewis, A. 245 (1999) 133
Bourgogne, C., see Masse, R. 245 (1999) 365
Bräuchle, C., see Schmälzlin, E. 245 (1999) 73
Bräuer, A., see Gabler, Th. 245 (1999) 507
Breckon, C., see Kuzyk, M.G. 245 (1999) 327

PII: S0301-0104(99)00217-7

Brunel, Ch., see Tamarat, Ph. 245 (1999) 121
Brütting, W., see Hildebrandt, R. 245 (1999) 341

Cai, C., see Bosshard, C. 245 (1999) 377
Canfield, B.K., see Kuzyk, M.G. 245 (1999) 327
Caputo, R., A.V. Sukhov, N.V. Tabiryan and C. Umeton, Efficiency dynamics of diffraction gratings recorded in liquid crystalline composite materials by a UV interference pattern 245 (1999) 463
Champagne, B. and B. Kirtman, Vibrational versus electronic first hyperpolarizabilities of π-conjugated organic molecules: an ab initio Hartree–Fock investigation upon the effects of the nature of the linker 245 (1999) 213
Chen, A., see Robinson, B.H. 245 (1999) 35
Chen, A., see Steier, W.H. 245 (1999) 487
Chen, D., see Steier, W.H. 245 (1999) 487
Chen, P.H., see Khoo, I.C. 245 (1999) 517
Chen, Z., see Lewis, A. 245 (1999) 133
Chernyak, V., see Tretiak, S. 245 (1999) 145
Chuyanov, V., see Steier, W.H. 245 (1999) 487
Cipparrone, G., see Blinov, L.M. 245 (1999) 473
Cipparrone, G., see Simoni, F. 245 (1999) 429
Collet, A., see Andraud, C. 245 (1999) 243

Dalton, L.R., see Robinson, B.H. 245 (1999) 35
Dalton, L.R., see Steier, W.H. 245 (1999) 487
Dalton, L.R., see Strohkendl, F.P. 245 (1999) 285
Datta, P.K., see Banfi, G.P. 245 (1999) 345
Degiorgio, V., see Banfi, G.P. 245 (1999) 345
de la Torre, G., see Rojo, G. 245 (1999) 27
Dinescu, L., see Saad, B. 245 (1999) 395
Dirk, C.W., see Zhang, L. 245 (1999) 99
Dumont, M. and A. El Osman, On spontaneous and photoinduced orientational mobility of dye molecules in polymers 245 (1999) 437

El Osman, A., see Dumont, M. 245 (1999) 437
Engel, M.K., see Nalwa, H.S. 245 (1999) 17

Fehn, T., see Hildebrandt, R. 245 (1999) 341
Fetterman, H.R., see Steier, W.H. 245 (1999) 487
Fortusini, D., see Banfi, G.P. 245 (1999) 345
Friedman, N., see Lewis, A. 245 (1999) 133
Friend, C.S., see Winiarz, J.G. 245 (1999) 417

Gabler, Th., A. Bräuer, H.-H. Hörhold, T. Pertsch and R. Stockmann, Application of the polyconjugated main chain polymer DPOP-PPV for ultrafast all-optical switching in a nonlinear directional coupler 245 (1999) 507
Galstyan, T.V., see Saad, B. 245 (1999) 395
García-Ruiz, J., see Rojo, G. 245 (1999) 27
Garner, S., see Robinson, B.H. 245 (1999) 35

Garner, S., see Steier, W.H. 245 (1999) 487
Garvey, D.W., see Kuzyk, M.G. 245 (1999) 327
Garvey, D.W., see Kuzyk, M.G. 245 (1999) 533
Girlando, A., see Hennessy, M.H. 245 (1999) 199
Glania, C., see Wortmann, R. 245 (1999) 107
Gracias, D.H., D. Zhang, L. Lianos, W. Ibach, Y.R. Shen and G.A. Somorjai, A study of the glass transition of polypropylene surfaces by sum-frequency vibrational spectroscopy and scanning force microscopy 245 (1999) 277
Gramlich, V., see Bosshard, C. 245 (1999) 377
Gubler, U., see Alain, V. 245 (1999) 51
Guenther, B.D., see Hendrickx, E. 245 (1999) 407
Günter, P., see Alain, V. 245 (1999) 51
Günter, P., see Bosshard, C. 245 (1999) 377

Hagan, D.J., see Lim, J.H. 245 (1999) 79
Hanack, M., see Nalwa, H.S. 245 (1999) 17
Harper, A., see Steier, W.H. 245 (1999) 487
Harper, A.W., see Robinson, B.H. 245 (1999) 35
Hellwarth, R.W., see Strohkendl, F.P. 245 (1999) 285
Hendrickx, E., B.D. Guenther, Y. Zhang, J.F. Wang, K. Staub, Q. Zhang, S.R. Marder, B. Kippelen and N. Peyghambarian, Ellipsometric determination of the electric-field-induced birefringence of photorefractive dyes in a liquid carbazole derivative 245 (1999) 407
Hennessy, M.H., Z.G. Soos, R.A. Pascal Jr. and A. Girlando, Vibronic structure of PTCDA stacks: the exciton–phonon-charge-transfer dimer 245 (1999) 199
Hildebrandt, R., H.-M. Keller, G. Marowsky, W. Brütting, T. Fehn, M. Schwoerer and J.E. Sipe, Electric-field-induced optical second-harmonic generation in poly(phenylene vinylene) light-emitting diodes 245 (1999) 341
Hörhold, H.-H., see Gabler, Th. 245 (1999) 507
Houbrecht, S., see Robinson, B.H. 245 (1999) 35

Ibach, W., see Gracias, D.H. 245 (1999) 277
Ito, H., see Sohma, S. 245 (1999) 359

Jelezko, F., see Tamarat, Ph. 245 (1999) 121
Jen, A.K.Y., see Robinson, B.H. 245 (1999) 35

Kafafi, Z.H., see Strohkendl, F.P. 245 (1999) 285
Kalamegham, P., see Zhang, L. 245 (1999) 99
Kamchatnov, A.M., see Agranovich, V.M. 245 (1999) 175
Keller, H.-M., see Hildebrandt, R. 245 (1999) 341
Kelly, J.F., see Munn, R.W. 245 (1999) 227
Khatchatouriants, A., see Lewis, A. 245 (1999) 133
Khodja, S., see Lim, J.H. 245 (1999) 79
Khoo, I.C., P.H. Chen, M.V. Wood and M.-Y. Shih, Molecular photonics of a highly nonlinear organic fiber core liquid for picosecond–nanosecond optical limiting application 245 (1999) 517
Kippelen, B., see Hendrickx, E. 245 (1999) 407
Kirtman, B., see Champagne, B. 245 (1999) 213

Kozlovsky, M.V., see Blinov, L.M. 245 (1999) 473
Krämer, P., see Wortmann, R. 245 (1999) 107
Kuzyk, M.G., D.W. Garvey, B.K. Canfield, S.R. Vigil, D.J. Welker, J. Tostenrude and C. Breckon, Characterization of single-mode polymer optical fiber and electrooptic fiber devices 245 (1999) 327
Kuzyk, M.G., D.W. Garvey, S.R. Vigil and D.J. Welker, All-optical devices in polymer optical fiber 245 (1999) 533

Lal, M., see Winiarz, J.G. 245 (1999) 417
Langhals, H., see Schmälzlin, E. 245 (1999) 73
Larsen, R.J., see Strohkendl, F.P. 245 (1999) 285
Lebus, S., see Alain, V. 245 (1999) 51
Ledoux, I., I.D.W. Samuel, J. Zyss, S.N. Yaliraki, F.J. Schattenmann, R.R. Schrock and R.J. Silbey, Third-order microscopic nonlinearities of very long chain polyenes: saturation phenomena and conformational effects 245 (1999) 1
Ledoux, I., see Robinson, B.H. 245 (1999) 35
Ledoux, I., see Rojo, G. 245 (1999) 27
Lee, M., see Robinson, B.H. 245 (1999) 35
Lee, S.-S., see Steier, W.H. 245 (1999) 487
Lemieux, R.P., see Saad, B. 245 (1999) 395
Lewis, A., A. Khatchatouriants, M. Treinin, Z. Chen, G. Peleg, N. Friedman, O. Bouevitch, Z. Rothman, L. Loew and M. Sheres, Second-harmonic generation of biological interfaces: probing the membrane protein bacteriorhodopsin and imaging membrane potential around GFP molecules at specific sites in neuronal cells of *C. elegans* 245 (1999) 133
Lianos, L., see Gracias, D.H. 245 (1999) 277
Lim, J.H., O.V. Przhonska, S. Khodja, S. Yang, T.S. Ross, D.J. Hagan, E.W. Van Stryland, M.V. Bondar and Y.L. Slominsky, Polymethine and squarylium molecules with large excited-state absorption 245 (1999) 79
Lipiński, J. and W. Bartkowiak, Conformation and solvent dependence of the first and second molecular hyperpolarizabilities of charge-transfer chromophores. Quantum-chemical calculations 245 (1999) 263
Loew, L., see Lewis, A. 245 (1999) 133
Lounis, B., see Tamarat, Ph. 245 (1999) 121
Lukaszuk, K., see Alain, V. 245 (1999) 51
Lukaszuk, K., see Wortmann, R. 245 (1999) 107

Maali, A., see Tamarat, Ph. 245 (1999) 121
Manetta, S., see Bosshard, C. 245 (1999) 377
Marder, S.R., see Hendrickx, E. 245 (1999) 407
Marowsky, G., see Hildebrandt, R. 245 (1999) 341
Masse, R., J.-F. Nicoud, M. Bagieu-Beucher and C. Bourgogne, Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics 245 (1999) 365
Matschiner, R., see Wortmann, R. 245 (1999) 107
Mazzulla, A., see Simoni, F. 245 (1999) 429
Meerholz, K., see Schmälzlin, E. 245 (1999) 73
Michelotti, F., G. Nicolao, F. Tesi and M. Bertolotti, On the measurement of the electro-optic properties of poled side-chain copolymer films with a modified Teng–Man technique 245 (1999) 311

Mukamel, S., see Tretiak, S. 245 (1999) 145
Munn, R.W., J.F. Kelly and F.M. Aicken, Analysis of the linear and non-linear optics of crystals of CHI_3, S_8 and their 1:3 complex 245 (1999) 227

Nalwa, H.S., M. Hanack, G. Pawlowski and M.K. Engel, Third-order nonlinear optical properties of porphyrazine, phthalocyanine and naphthalocyanine germanium derivatives: Demonstrating the effect of π-conjugation length on third-order optical nonlinearity of two-dimensional molecules 245 (1999) 17
Nicolao, G., see Michelotti, F. 245 (1999) 311
Nicoud, J.-F., see Masse, R. 245 (1999) 365

Orrit, M., see Tamarat, Ph. 245 (1999) 121

Pagliusi, P., see Simoni, F. 245 (1999) 429
Painelli, A., Amplification of NLO responses: vibronic and solvent effects in push–pull polyenes 245 (1999) 185
Pan, F., see Bosshard, C. 245 (1999) 377
Pascal Jr., R.A., see Hennessy, M.H. 245 (1999) 199
Pawlowski, G., see Nalwa, H.S. 245 (1999) 17
Peleg, G., see Lewis, A. 245 (1999) 133
Persoons, A., see Robinson, B.H. 245 (1999) 35
Pertsch, T., see Gabler, Th. 245 (1999) 507
Peyghambarian, N., see Hendrickx, E. 245 (1999) 407
Prasad, P.N., see Winiarz, J.G. 245 (1999) 417
Przhonska, O.V., see Lim, J.H. 245 (1999) 79

Rédoglia, S., see Alain, V. 245 (1999) 51
Ren, A., see Robinson, B.H. 245 (1999) 35
Ren, A.S., see Steier, W.H. 245 (1999) 487
Robinson, B.H., L.R. Dalton, A.W. Harper, A. Ren, F. Wang, C. Zhang, G. Todorova, M. Lee, R. Aniszfeld, S. Garner, A. Chen, W.H. Steier, S. Houbrecht, A. Persoons, I. Ledoux, J. Zyss and A.K.Y. Jen, The molecular and supramolecular engineering of polymeric electro-optic materials 245 (1999) 35
Rojo, G., G. de la Torre, J. García-Ruiz, I. Ledoux, T. Torres, J. Zyss and F. Agulló-López, Novel unsymmetrically substituted push–pull phthalocyanines for second-order nonlinear optics 245 (1999) 27
Romero, M., see Zhang, L. 245 (1999) 99
Ross, T.S., see Lim, J.H. 245 (1999) 79
Rothman, Z., see Lewis, A. 245 (1999) 133

Saad, B., T.V. Galstyan, L. Dinescu and R.P. Lemieux, Photoassisted alignment and formation of polarization gratings in a ferroelectric liquid crystal 245 (1999) 395
Samuel, I.D.W., see Ledoux, I. 245 (1999) 1
Schattenmann, F.J., see Ledoux, I. 245 (1999) 1
Schmälzlin, E., U. Bitterer, H. Langhals, C. Bräuchle and K. Meerholz, Determination of the first hyperpolarizability of multiphoton fluorescent nonlinear optical chromophores via hyper-Rayleigh scattering using fluorescence quenching 245 (1999) 73
Schrock, R.R., see Ledoux, I. 245 (1999) 1

Schwoerer, M., see Hildebrandt, R. 245 (1999) 341
Shen, Y.R., see Gracias, D.H. 245 (1999) 277
Shepherd, E.E.A., see Banfi, G.P. 245 (1999) 345
Sheres, M., see Lewis, A. 245 (1999) 133
Sherwood, J.N., see Banfi, G.P. 245 (1999) 345
Shih, M.-Y., see Khoo, I.C. 245 (1999) 517
Silbey, R.J., see Ledoux, I. 245 (1999) 1
Simoni, F., G. Cipparrone, A. Mazzulla and P. Pagliusi, Polymer dispersed liquid crystals: effects of photorefractivity and local heating on holographic recording 245 (1999) 429
Sipe, J.E., see Hildebrandt, R. 245 (1999) 341
Slominsky, Y.L., see Lim, J.H. 245 (1999) 79
Sohma, S., H. Takahashi, T. Taniuchi and H. Ito, Organic nonlinear optical crystal DAST growth and its device applications 245 (1999) 359
Somorjai, G.A., see Gracias, D.H. 245 (1999) 277
Soos, Z.G., see Hennessy, M.H. 245 (1999) 199
Spreiter, R., see Bosshard, C. 245 (1999) 377
Staub, K., see Hendrickx, E. 245 (1999) 407
Steier, W.H., A. Chen, S.-S. Lee, S. Garner, H. Zhang, V. Chuyanov, L.R. Dalton, F. Wang, A.S. Ren, C. Zhang, G. Todorova, A. Harper, H.R. Fetterman, D. Chen, A. Udupa, D. Bhattacharya and B. Tsap, Polymer electro-optic devices for integrated optics 245 (1999) 487
Steier, W.H., see Robinson, B.H. 245 (1999) 35
Stockmann, R., see Gabler, Th. 245 (1999) 507
Strohkendl, F.P., T.J. Axenson, R.J. Larsen, L.R. Dalton, R.W. Hellwarth and Z.H. Kafafi, Nonlinear optical spectra of C_{70} 245 (1999) 285
Sukhov, A.V., see Caputo, R. 245 (1999) 463

Tabiryan, N.V., see Caputo, R. 245 (1999) 463
Takahashi, H., see Sohma, S. 245 (1999) 359
Tamarat, Ph., F. Jelezko, Ch. Brunel, A. Maali, B. Lounis and M. Orrit, Non-linear optical response of single molecules 245 (1999) 121
Taniuchi, T., see Sohma, S. 245 (1999) 359
Tesi, F., see Michelotti, F. 245 (1999) 311
Todorova, G., see Robinson, B.H. 245 (1999) 35
Todorova, G., see Steier, W.H. 245 (1999) 487
Torres, T., see Rojo, G. 245 (1999) 27
Tostenrude, J., see Kuzyk, M.G. 245 (1999) 327
Treinin, M., see Lewis, A. 245 (1999) 133
Tretiak, S., V. Chernyak and S. Mukamel, Electronic screening in second order optical polarizabilities of elongated Donor/Acceptor polyenes 245 (1999) 145
Tsap, B., see Steier, W.H. 245 (1999) 487
Twieg, R.J., see Wortmann, R. 245 (1999) 107

Udupa, A., see Steier, W.H. 245 (1999) 487
Umeton, C., see Caputo, R. 245 (1999) 463

Van Stryland, E.W., see Lim, J.H. 245 (1999) 79
Vigil, S.R., see Kuzyk, M.G. 245 (1999) 327
Vigil, S.R., see Kuzyk, M.G. 245 (1999) 533

Wagnière, G.H., The magnetochiral effect and related optical phenomena 245 (1999) 165
Wang, F., see Robinson, B.H. 245 (1999) 35
Wang, F., see Steier, W.H. 245 (1999) 487
Wang, J.F., see Hendrickx, E. 245 (1999) 407
Welker, D.J., see Kuzyk, M.G. 245 (1999) 327
Welker, D.J., see Kuzyk, M.G. 245 (1999) 533
Winiarz, J.G., L. Zhang, M. Lal, C.S. Friend and P.N. Prasad, Photogeneration, charge transport, and photoconductivity of a novel PVK/CdS-nanocrystal polymer composite 245 (1999) 417
Wirges, W., see Bauer-Gogonea, S. 245 (1999) 297
Wong, M.S., see Bosshard, C. 245 (1999) 377
Wood, M.V., see Khoo, I.C. 245 (1999) 517
Wortmann, R., C. Glania, P. Krämer, K. Lukaszuk, R. Matschiner, R.J. Twieg and F. You, Highly transparent and birefringent chromophores for organic photorefractive materials 245 (1999) 107
Wortmann, R., see Alain, V. 245 (1999) 51

Yaliraki, S.N., see Ledoux, I. 245 (1999) 1
Yang, S., see Lim, J.H. 245 (1999) 79
You, F., see Wortmann, R. 245 (1999) 107

Zabulon, T., see Andraud, C. 245 (1999) 243
Zhang, C., see Robinson, B.H. 245 (1999) 35
Zhang, C., see Steier, W.H. 245 (1999) 487
Zhang, D., see Gracias, D.H. 245 (1999) 277
Zhang, H., see Steier, W.H. 245 (1999) 487
Zhang, L., P. Kalamegham, M. Romero and C.W. Dirk, Thermal stability and rate order dependence for the thermal decomposition of electro-optic dyes 245 (1999) 99
Zhang, L., see Winiarz, J.G. 245 (1999) 417
Zhang, Q., see Hendrickx, E. 245 (1999) 407
Zhang, Y., see Hendrickx, E. 245 (1999) 407
Zyss, J., see Andraud, C. 245 (1999) 243
Zyss, J., see Ledoux, I. 245 (1999) 1
Zyss, J., see Robinson, B.H. 245 (1999) 35
Zyss, J., see Rojo, G. 245 (1999) 27

ELSEVIER

Chemical Physics 245 (1999) 553–565

Chemical Physics

www.elsevier.nl/locate/chemphys

Subject index

Methods and constructs

Theoretical

Computational methods for electronic structure

Electronic screening in second order optical polarizabilities of elongated Donor/Acceptor polyenes, S. Tretiak, V. Chernyak and S. Mukamel 245 (1999) 145

Vibronic structure of PTCDA stacks: the exciton–phonon-charge-transfer dimer, M.H. Hennessy, Z.G. Soos, R.A. Pascal Jr. and A. Girlando 245 (1999) 199

Vibrational versus electronic first hyperpolarizabilities of π-conjugated organic molecules: an ab initio Hartree–Fock investigation upon the effects of the nature of the linker, B. Champagne and B. Kirtman 245 (1999) 213

Conformation and solvent dependence of the first and second molecular hyperpolarizabilities of charge-transfer chromophores. Quantum-chemical calculations, J. Lipiński and W. Bartkowiak 245 (1999) 263

-perturbative and many body approaches

Electronic screening in second order optical polarizabilities of elongated Donor/Acceptor polyenes, S. Tretiak, V. Chernyak and S. Mukamel 245 (1999) 145

Semiempirical methods

Conformation and solvent dependence of the first and second molecular hyperpolarizabilities of charge-transfer chromophores. Quantum-chemical calculations, J. Lipiński and W. Bartkowiak 245 (1999) 263

Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities)

Third-order microscopic nonlinearities of very long chain polyenes: saturation phenomena and conformational effects, I. Ledoux, I.D.W. Samuel, J. Zyss, S.N. Yaliraki, F.J. Schattenmann, R.R. Schrock and R.J. Silbey 245 (1999) 1

Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer, V. Alain, S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter 245 (1999) 51

The magnetochiral effect and related optical phenomena, G.H. Wagnière 245 (1999) 165

Amplification of NLO responses: vibronic and solvent effects in push–pull polyenes, A. Painelli 245 (1999) 185

PII: S0301-0104(99)00209-8

Vibrational versus electronic first hyperpolarizabilities of π-conjugated organic molecules: an ab initio Hartree–Fock investigation upon the effects of the nature of the linker, B. Champagne and B. Kirtman 245 (1999) 213
Analysis of the linear and non-linear optics of crystals of CHI_3, S_8 and their 1:3 complex, R.W. Munn, J.F. Kelly and F.M. Aicken 245 (1999) 227
Nonlinear optical properties of polyenoctupoles: a multipolar tensorial quantum analysis, C. Andraud, T. Zabulon, A. Collet and J. Zyss 245 (1999) 243
Conformation and solvent dependence of the first and second molecular hyperpolarizabilities of charge-transfer chromophores. Quantum-chemical calculations, J. Lipiński and W. Bartkowiak 245 (1999) 263
Nonlinear optical spectra of C_{70}, F.P. Strohkendl, T.J. Axenson, R.J. Larsen, L.R. Dalton, R.W. Hellwarth and Z.H. Kafafi 245 (1999) 285
In-situ profiling of dipole polarization distributions in poled nonlinear optical polymers with electrothermal and optical techniques, S. Bauer-Gogonea, S. Bauer and W. Wirges 245 (1999) 297
Electric-field-induced optical second-harmonic generation in poly(phenylene vinylene) light-emitting diodes, R. Hildebrandt, H.-M. Keller, G. Marowsky, W. Brütting, T. Fehn, M. Schwoerer and J.E. Sipe 245 (1999) 341
Low-power frequency conversion through parametric interaction and cascaded processes in a *N*-(4-nitrophenyl)-L-prolinol crystal, G.P. Banfi, P.K. Datta, V. Degiorgio, D. Fortusini, E.E.A. Shepherd and J.N. Sherwood 245 (1999) 345
Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics, R. Masse, J.-F. Nicoud, M. Bagieu-Beucher and C. Bourgogne 245 (1999) 365
Nonlinear optical organic co-crystals of merocyanine dyes and phenolic derivatives with short hydrogen bonds, C. Bosshard, F. Pan, M.S. Wong, S. Manetta, R. Spreiter, C. Cai, P. Günter and V. Gramlich 245 (1999) 377
Photoassisted alignment and formation of polarization gratings in a ferroelectric liquid crystal, B. Saad, T.V. Galstyan, L. Dinescu and R.P. Lemieux 245 (1999) 395
Photogeneration, charge transport, and photoconductivity of a novel PVK/CdS-nanocrystal polymer composite, J.G. Winiarz, L. Zhang, M. Lal, C.S. Friend and P.N. Prasad 245 (1999) 417
Polymer dispersed liquid crystals: effects of photorefractivity and local heating on holographic recording, F. Simoni, G. Cipparrone, A. Mazzulla and P. Pagliusi 245 (1999) 429
On spontaneous and photoinduced orientational mobility of dye molecules in polymers, M. Dumont and A. El Osman 245 (1999) 437
Efficiency dynamics of diffraction gratings recorded in liquid crystalline composite materials by a UV interference pattern, R. Caputo, A.V. Sukhov, N.V. Tabiryan and C. Umeton 245 (1999) 463
Polymer electro-optic devices for integrated optics, W.H. Steier, A. Chen, S.-S. Lee, S. Garner, H. Zhang, V. Chuyanov, L.R. Dalton, F. Wang, A.S. Ren, C. Zhang, G. Todorova, A. Harper, H.R. Fetterman, D. Chen, A. Udupa, D. Bhattacharya and B. Tsap 245 (1999) 487

Radiative (incl. relativistic) effects on molecules and molecular processes

The magnetochiral effect and related optical phenomena, G.H. Wagnière 245 (1999) 165
Quantum confinement and superradiance of one-dimensional self-trapped Frenkel excitons, V.M. Agranovich and A.M. Kamchatnov 245 (1999) 175

Reactive molecular dynamics including dissipative processes

Thermal stability and rate order dependence for the thermal decomposition of electro-optic dyes, L. Zhang, P. Kalamegham, M. Romero and C.W. Dirk 245 (1999) 99

Intramolecular dynamics
Molecular photonics of a highly nonlinear organic fiber core liquid for picosecond–nanosecond optical limiting application, I.C. Khoo, P.H. Chen, M.V. Wood and M.-Y. Shih 245 (1999) 517

Molecular dynamics of many particle systems and condensed phases
On the measurement of the electro-optic properties of poled side-chain copolymer films with a modified Teng–Man technique, F. Michelotti, G. Nicolao, F. Tesi and M. Bertolotti 245 (1999) 311

Quasiparticle dynamics (incl. excitons, polarons)
Quantum confinement and superradiance of one-dimensional self-trapped Frenkel excitons, V.M. Agranovich and A.M. Kamchatnov 245 (1999) 175

Equilibrium statistical mechanics and thermodynamics
The molecular and supramolecular engineering of polymeric electro-optic materials, B.H. Robinson, L.R. Dalton, A.W. Harper, A. Ren, F. Wang, C. Zhang, G. Todorova, M. Lee, R. Aniszfeld, S. Garner, A. Chen, W.H. Steier, S. Houbrecht, A. Persoons, I. Ledoux, J. Zyss and A.K.Y. Jen 245 (1999) 35

Experiment

Molecular spectroscopy
Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer, V. Alain, S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter 245 (1999) 51
Vibronic structure of PTCDA stacks: the exciton–phonon-charge-transfer dimer, M.H. Hennessy, Z.G. Soos, R.A. Pascal Jr. and A. Girlando 245 (1999) 199

-visible
Novel unsymmetrically substituted push–pull phthalocyanines for second-order nonlinear optics, G. Rojo, G. de la Torre, J. García-Ruiz, I. Ledoux, T. Torres, J. Zyss and F. Agulló-López 245 (1999) 27
Non-linear optical response of single molecules, Ph. Tamarat, F. Jelezko, Ch. Brunel, A. Maali, B. Lounis and M. Orrit 245 (1999) 121
A study of the glass transition of polypropylene surfaces by sum-frequency vibrational spectroscopy and scanning force microscopy, D.H. Gracias, D. Zhang, L. Lianos, W. Ibach, Y.R. Shen and G.A. Somorjai 245 (1999) 277

Ultrafast measurements
Application of the polyconjugated main chain polymer DPOP-PPV for ultrafast all-optical switching in a nonlinear directional coupler, Th. Gabler, A. Bräuer, H.-H. Hörhold, T. Pertsch and R. Stockmann 245 (1999) 507

Nonlinear optics and spectroscopy

Third-order microscopic nonlinearities of very long chain polyenes: saturation phenomena and conformational effects, I. Ledoux, I.D.W. Samuel, J. Zyss, S.N. Yaliraki, F.J. Schattenmann, R.R. Schrock and R.J. Silbey 245 (1999) 1

Third-order nonlinear optical properties of porphyrazine, phthalocyanine and naphthalocyanine germanium derivatives: Demonstrating the effect of π-conjugation length on third-order optical nonlinearity of two-dimensional molecules, H.S. Nalwa, M. Hanack, G. Pawlowski and M.K. Engel 245 (1999) 17

Novel unsymmetrically substituted push–pull phthalocyanines for second-order nonlinear optics, G. Rojo, G. de la Torre, J. García-Ruiz, I. Ledoux, T. Torres, J. Zyss and F. Agulló-López 245 (1999) 27

The molecular and supramolecular engineering of polymeric electro-optic materials, B.H. Robinson, L.R. Dalton, A.W. Harper, A. Ren, F. Wang, C. Zhang, G. Todorova, M. Lee, R. Aniszfeld, S. Garner, A. Chen, W.H. Steier, S. Houbrecht, A. Persoons, I. Ledoux, J. Zyss and A.K.Y. Jen 245 (1999) 35

Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer, V. Alain, S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter 245 (1999) 51

Determination of the first hyperpolarizability of multiphoton fluorescent nonlinear optical chromophores via hyper-Rayleigh scattering using fluorescence quenching, E. Schmälzlin, U. Bitterer, H. Langhals, C. Bräuchle and K. Meerholz 245 (1999) 73

Polymethine and squarylium molecules with large excited-state absorption, J.H. Lim, O.V. Przhonska, S. Khodja, S. Yang, T.S. Ross, D.J. Hagan, E.W. Van Stryland, M.V. Bondar and Y.L. Slominsky 245 (1999) 79

Highly transparent and birefringent chromophores for organic photorefractive materials, R. Wortmann, C. Glania, P. Krämer, K. Lukaszuk, R. Matschiner, R.J. Twieg and F. You 245 (1999) 107

Non-linear optical response of single molecules, Ph. Tamarat, F. Jelezko, Ch. Brunel, A. Maali, B. Lounis and M. Orrit 245 (1999) 121

Second-harmonic generation of biological interfaces: probing the membrane protein bacteriorhodopsin and imaging membrane potential around GFP molecules at specific sites in neuronal cells of *C. elegans*, A. Lewis, A. Khatchatouriants, M. Treinin, Z. Chen, G. Peleg, N. Friedman, O. Bouevitch, Z. Rothman, L. Loew and M. Sheres 245 (1999) 133

The magnetochiral effect and related optical phenomena, G.H. Wagnière 245 (1999) 165

Conformation and solvent dependence of the first and second molecular hyperpolarizabilities of charge-transfer chromophores. Quantum-chemical calculations, J. Lipiński and W. Bartkowiak 245 (1999) 263

A study of the glass transition of polypropylene surfaces by sum-frequency vibrational spectroscopy and scanning force microscopy, D.H. Gracias, D. Zhang, L. Lianos, W. Ibach, Y.R. Shen and G.A. Somorjai 245 (1999) 277

Nonlinear optical spectra of C_{70}, F.P. Strohkendl, T.J. Axenson, R.J. Larsen, L.R. Dalton, R.W. Hellwarth and Z.H. Kafafi 245 (1999) 285

In-situ profiling of dipole polarization distributions in poled nonlinear optical polymers with electrothermal and optical techniques, S. Bauer-Gogonea, S. Bauer and W. Wirges 245 (1999) 297

On the measurement of the electro-optic properties of poled side-chain copolymer films with a modified Teng–Man technique, F. Michelotti, G. Nicolao, F. Tesi and M. Bertolotti 245 (1999) 311

Characterization of single-mode polymer optical fiber and electrooptic fiber devices, M.G. Kuzyk, D.W. Garvey, B.K. Canfield, S.R. Vigil, D.J. Welker, J. Tostenrude and C. Breckon 245 (1999) 327
Electric-field-induced optical second-harmonic generation in poly(phenylene vinylene) light-emitting diodes, R. Hildebrandt, H.-M. Keller, G. Marowsky, W. Brütting, T. Fehn, M. Schwoerer and J.E. Sipe 245 (1999) 341
Low-power frequency conversion through parametric interaction and cascaded processes in a *N*-(4-nitrophenyl)-L-prolinol crystal, G.P. Banfi, P.K. Datta, V. Degiorgio, D. Fortusini, E.E.A. Shepherd and J.N. Sherwood 245 (1999) 345
Organic nonlinear optical crystal DAST growth and its device applications, S. Sohma, H. Takahashi, T. Taniuchi and H. Ito 245 (1999) 359
Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics, R. Masse, J.-F. Nicoud, M. Bagieu-Beucher and C. Bourgogne 245 (1999) 365
Nonlinear optical organic co-crystals of merocyanine dyes and phenolic derivatives with short hydrogen bonds, C. Bosshard, F. Pan, M.S. Wong, S. Manetta, R. Spreiter, C. Cai, P. Günter and V. Gramlich 245 (1999) 377
Photoassisted alignment and formation of polarization gratings in a ferroelectric liquid crystal, B. Saad, T.V. Galstyan, L. Dinescu and R.P. Lemieux 245 (1999) 395
Ellipsometric determination of the electric-field-induced birefringence of photorefractive dyes in a liquid carbazole derivative, E. Hendrickx, B.D. Guenther, Y. Zhang, J.F. Wang, K. Staub, Q. Zhang, S.R. Marder, B. Kippelen and N. Peyghambarian 245 (1999) 407
Polymer dispersed liquid crystals: effects of photorefractivity and local heating on holographic recording, F. Simoni, G. Cipparrone, A. Mazzulla and P. Pagliusi 245 (1999) 429
Efficiency dynamics of diffraction gratings recorded in liquid crystalline composite materials by a UV interference pattern, R. Caputo, A.V. Sukhov, N.V. Tabiryan and C. Umeton 245 (1999) 463
Photochromism and holographic grating recording on a chiral side-chain liquid crystalline copolymer containing azobenzene chromophores, L.M. Blinov, M.V. Kozlovsky and G. Cipparrone 245 (1999) 473
Polymer electro-optic devices for integrated optics, W.H. Steier, A. Chen, S.-S. Lee, S. Garner, H. Zhang, V. Chuyanov, L.R. Dalton, F. Wang, A.S. Ren, C. Zhang, G. Todorova, A. Harper, H.R. Fetterman, D. Chen, A. Udupa, D. Bhattacharya and B. Tsap 245 (1999) 487
Application of the polyconjugated main chain polymer DPOP-PPV for ultrafast all-optical switching in a nonlinear directional coupler, Th. Gabler, A. Bräuer, H.-H. Hörhold, T. Pertsch and R. Stockmann 245 (1999) 507
All-optical devices in polymer optical fiber, M.G. Kuzyk, D.W. Garvey, S.R. Vigil and D.J. Welker 245 (1999) 533
Molecular photonics of a highly nonlinear organic fiber core liquid for picosecond–nanosecond optical limiting application, I.C. Khoo, P.H. Chen, M.V. Wood and M.-Y. Shih 245 (1999) 517

Optical pumping

On spontaneous and photoinduced orientational mobility of dye molecules in polymers, M. Dumont and A. El Osman 245 (1999) 437

X-ray, electron and neutron diffraction
Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics, R. Masse, J.-F. Nicoud, M. Bagieu-Beucher and C. Bourgogne 245 (1999) 365

Calorimetric methods
Thermal stability and rate order dependence for the thermal decomposition of electro-optic dyes, L. Zhang, P. Kalamegham, M. Romero and C.W. Dirk 245 (1999) 99

Measurement of macroscopic variables
Photogeneration, charge transport, and photoconductivity of a novel PVK/CdS-nanocrystal polymer composite, J.G. Winiarz, L. Zhang, M. Lal, C.S. Friend and P.N. Prasad 245 (1999) 417

Objects

Bulk systems

Liquid mixtures and solutions
Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer, V. Alain, S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter 245 (1999) 51
Determination of the first hyperpolarizability of multiphoton fluorescent nonlinear optical chromophores via hyper-Rayleigh scattering using fluorescence quenching, E. Schmälzlin, U. Bitterer, H. Langhals, C. Bräuchle and K. Meerholz 245 (1999) 73
Thermal stability and rate order dependence for the thermal decomposition of electro-optic dyes, L. Zhang, P. Kalamegham, M. Romero and C.W. Dirk 245 (1999) 99
Highly transparent and birefringent chromophores for organic photorefractive materials, R. Wortmann, C. Glania, P. Krämer, K. Lukaszuk, R. Matschiner, R.J. Twieg and F. You 245 (1999) 107
Amplification of NLO responses: vibronic and solvent effects in push–pull polyenes, A. Painelli 245 (1999) 185

Crystals
Vibronic structure of PTCDA stacks: the exciton–phonon-charge-transfer dimer, M.H. Hennessy, Z.G. Soos, R.A. Pascal Jr. and A. Girlando 245 (1999) 199
Analysis of the linear and non-linear optics of crystals of CHI_3, S_8 and their 1:3 complex, R.W. Munn, J.F. Kelly and F.M. Aicken 245 (1999) 227
Low-power frequency conversion through parametric interaction and cascaded processes in a *N*-(4-nitrophenyl)-L-prolinol crystal, G.P. Banfi, P.K. Datta, V. Degiorgio, D. Fortusini, E.E.A. Shepherd and J.N. Sherwood 245 (1999) 345
Organic nonlinear optical crystal DAST growth and its device applications, S. Sohma, H. Takahashi, T. Taniuchi and H. Ito 245 (1999) 359
Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics, R. Masse, J.-F. Nicoud, M. Bagieu-Beucher and C. Bourgogne 245 (1999) 365
Nonlinear optical organic co-crystals of merocyanine dyes and phenolic derivatives with short hydrogen bonds, C. Bosshard, F. Pan, M.S. Wong, S. Manetta, R. Spreiter, C. Cai, P. Günter and V. Gramlich 245 (1999) 377

-mixed

Non-linear optical response of single molecules, Ph. Tamarat, F. Jelezko, Ch. Brunel, A. Maali, B. Lounis and M. Orrit 245 (1999) 121

Complex fluids

-liquid crystals

Photoassisted alignment and formation of polarization gratings in a ferroelectric liquid crystal, B. Saad, T.V. Galstyan, L. Dinescu and R.P. Lemieux 245 (1999) 395

Polymer dispersed liquid crystals: effects of photorefractivity and local heating on holographic recording, F. Simoni, G. Cipparrone, A. Mazzulla and P. Pagliusi 245 (1999) 429

Efficiency dynamics of diffraction gratings recorded in liquid crystalline composite materials by a UV interference pattern, R. Caputo, A.V. Sukhov, N.V. Tabiryan and C. Umeton 245 (1999) 463

Photochromism and holographic grating recording on a chiral side-chain liquid crystalline copolymer containing azobenzene chromophores, L.M. Blinov, M.V. Kozlovsky and G. Cipparrone 245 (1999) 473

Polymers

The molecular and supramolecular engineering of polymeric electro-optic materials, B.H. Robinson, L.R. Dalton, A.W. Harper, A. Ren, F. Wang, C. Zhang, G. Todorova, M. Lee, R. Aniszfeld, S. Garner, A. Chen, W.H. Steier, S. Houbrecht, A. Persoons, I. Ledoux, J. Zyss and A.K.Y. Jen 245 (1999) 35

Electronic screening in second order optical polarizabilities of elongated Donor/Acceptor polyenes, S. Tretiak, V. Chernyak and S. Mukamel 245 (1999) 145

Nonlinear optical properties of polyenoctupoles: a multipolar tensorial quantum analysis, C. Andraud, T. Zabulon, A. Collet and J. Zyss 245 (1999) 243

A study of the glass transition of polypropylene surfaces by sum-frequency vibrational spectroscopy and scanning force microscopy, D.H. Gracias, D. Zhang, L. Lianos, W. Ibach, Y.R. Shen and G.A. Somorjai 245 (1999) 277

In-situ profiling of dipole polarization distributions in poled nonlinear optical polymers with electrothermal and optical techniques, S. Bauer-Gogonea, S. Bauer and W. Wirges 245 (1999) 297

On the measurement of the electro-optic properties of poled side-chain copolymer films with a modified Teng–Man technique, F. Michelotti, G. Nicolao, F. Tesi and M. Bertolotti 245 (1999) 311

Characterization of single-mode polymer optical fiber and electrooptic fiber devices, M.G. Kuzyk, D.W. Garvey, B.K. Canfield, S.R. Vigil, D.J. Welker, J. Tostenrude and C. Breckon 245 (1999) 327

Photogeneration, charge transport, and photoconductivity of a novel PVK/CdS-nanocrystal polymer composite, J.G. Winiarz, L. Zhang, M. Lal, C.S. Friend and P.N. Prasad 245 (1999) 417

Polymer dispersed liquid crystals: effects of photorefractivity and local heating on holographic recording, F. Simoni, G. Cipparrone, A. Mazzulla and P. Pagliusi 245 (1999) 429

On spontaneous and photoinduced orientational mobility of dye molecules in polymers, M. Dumont and A. El Osman 245 (1999) 437

Photochromism and holographic grating recording on a chiral side-chain liquid crystalline copolymer containing azobenzene chromophores, L.M. Blinov, M.V. Kozlovsky and G. Cipparrone 245 (1999) 473

Polymer electro-optic devices for integrated optics, W.H. Steier, A. Chen, S.-S. Lee, S. Garner, H. Zhang, V. Chuyanov, L.R. Dalton, F. Wang, A.S. Ren, C. Zhang, G. Todorova, A. Harper, H.R. Fetterman, D. Chen, A. Udupa, D. Bhattacharya and B. Tsap 245 (1999) 487
Application of the polyconjugated main chain polymer DPOP-PPV for ultrafast all-optical switching in a nonlinear directional coupler, Th. Gabler, A. Bräuer, H.-H. Hörhold, T. Pertsch and R. Stockmann 245 (1999) 507
All-optical devices in polymer optical fiber, M.G. Kuzyk, D.W. Garvey, S.R. Vigil and D.J. Welker 245 (1999) 533

Semiconductors
Electric-field-induced optical second-harmonic generation in poly(phenylene vinylene) light-emitting diodes, R. Hildebrandt, H.-M. Keller, G. Marowsky, W. Brütting, T. Fehn, M. Schwoerer and J.E. Sipe 245 (1999) 341

Metals and alloys
Characterization of single-mode polymer optical fiber and electrooptic fiber devices, M.G. Kuzyk, D.W. Garvey, B.K. Canfield, S.R. Vigil, D.J. Welker, J. Tostenrude and C. Breckon 245 (1999) 327
Electric-field-induced optical second-harmonic generation in poly(phenylene vinylene) light-emitting diodes, R. Hildebrandt, H.-M. Keller, G. Marowsky, W. Brütting, T. Fehn, M. Schwoerer and J.E. Sipe 245 (1999) 341

Thin films
Nonlinear optical spectra of C_{70}, F.P. Strohkendl, T.J. Axenson, R.J. Larsen, L.R. Dalton, R.W. Hellwarth and Z.H. Kafafi 245 (1999) 285
In-situ profiling of dipole polarization distributions in poled nonlinear optical polymers with electrothermal and optical techniques, S. Bauer-Gogonea, S. Bauer and W. Wirges 245 (1999) 297

Dielectrics
Characterization of single-mode polymer optical fiber and electrooptic fiber devices, M.G. Kuzyk, D.W. Garvey, B.K. Canfield, S.R. Vigil, D.J. Welker, J. Tostenrude and C. Breckon 245 (1999) 327

Biological systems
Second-harmonic generation of biological interfaces: probing the membrane protein bacteriorhodopsin and imaging membrane potential around GFP molecules at specific sites in neuronal cells of *C. elegans*, A. Lewis, A. Khatchatouriants, M. Treinin, Z. Chen, G. Peleg, N. Friedman, O. Bouevitch, Z. Rothman, L. Loew and M. Sheres 245 (1999) 133

Microscopic and mesoscopic systems

Single atoms, molecules and assemblies (incl. biological)
Non-linear optical response of single molecules, Ph. Tamarat, F. Jelezko, Ch. Brunel, A. Maali, B. Lounis and M. Orrit 245 (1999) 121

Molecules (neutral and ionic)
Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer, V. Alain, S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter 245 (1999) 51
Thermal stability and rate order dependence for the thermal decomposition of electro-optic dyes, L. Zhang, P. Kalamegham, M. Romero and C.W. Dirk 245 (1999) 99
Vibrational versus electronic first hyperpolarizabilities of π-conjugated organic molecules: an ab initio Hartree–Fock investigation upon the effects of the nature of the linker, B. Champagne and B. Kirtman 245 (1999) 213

-aromatics
Novel unsymmetrically substituted push–pull phthalocyanines for second-order nonlinear optics, G. Rojo, G. de la Torre, J. García-Ruiz, I. Ledoux, T. Torres, J. Zyss and F. Agulló-López 245 (1999) 27

-other large
Third-order nonlinear optical properties of porphyrazine, phthalocyanine and naphthalocyanine germanium derivatives: Demonstrating the effect of π-conjugation length on third-order optical nonlinearity of two-dimensional molecules, H.S. Nalwa, M. Hanack, G. Pawlowski and M.K. Engel 245 (1999) 17
Amplification of NLO responses: vibronic and solvent effects in push–pull polyenes, A. Painelli 245 (1999) 185
Ellipsometric determination of the electric-field-induced birefringence of photorefractive dyes in a liquid carbazole derivative, E. Hendrickx, B.D. Guenther, Y. Zhang, J.F. Wang, K. Staub, Q. Zhang, S.R. Marder, B. Kippelen and N. Peyghambarian 245 (1999) 407

-polymeric and biological
Electronic screening in second order optical polarizabilities of elongated Donor/Acceptor polyenes, S. Tretiak, V. Chernyak and S. Mukamel 245 (1999) 145
On the measurement of the electro-optic properties of poled side-chain copolymer films with a modified Teng–Man technique, F. Michelotti, G. Nicolao, F. Tesi and M. Bertolotti 245 (1999) 311

Molecular aggregates
Photoassisted alignment and formation of polarization gratings in a ferroelectric liquid crystal, B. Saad, T.V. Galstyan, L. Dinescu and R.P. Lemieux 245 (1999) 395

-clusters
Photogeneration, charge transport, and photoconductivity of a novel PVK/CdS-nanocrystal polymer composite, J.G. Winiarz, L. Zhang, M. Lal, C.S. Friend and P.N. Prasad 245 (1999) 417

-complexes
Analysis of the linear and non-linear optics of crystals of CHI_3, S_8 and their 1:3 complex, R.W. Munn, J.F. Kelly and F.M. Aicken 245 (1999) 227

Supramolecular assemblies (incl. nanoparticles and nanostructures)
The molecular and supramolecular engineering of polymeric electro-optic materials, B.H. Robinson, L.R. Dalton, A.W. Harper, A. Ren, F. Wang, C. Zhang, G. Todorova, M. Lee, R. Aniszfeld, S. Garner, A. Chen, W.H. Steier, S. Houbrecht, A. Persoons, I. Ledoux, J. Zyss and A.K.Y. Jen 245 (1999) 35

Nonlinear optical organic co-crystals of merocyanine dyes and phenolic derivatives with short hydrogen bonds, C. Bosshard, F. Pan, M.S. Wong, S. Manetta, R. Spreiter, C. Cai, P. Günter and V. Gramlich 245 (1999) 377

Biological assemblies, cells and organelles

Second-harmonic generation of biological interfaces: probing the membrane protein bacteriorhodopsin and imaging membrane potential around GFP molecules at specific sites in neuronal cells of *C. elegans*, A. Lewis, A. Khatchatouriants, M. Treinin, Z. Chen, G. Peleg, N. Friedman, O. Bouevitch, Z. Rothman, L. Loew and M. Sheres 245 (1999) 133

Phenomena

Electronic structure and states

Elongated push–pull diphenylpolyenes for nonlinear optics: molecular engineering of quadratic and cubic optical nonlinearities via tuning of intramolecular charge transfer, V. Alain, S. Rédoglia, M. Blanchard-Desce, S. Lebus, K. Lukaszuk, R. Wortmann, U. Gubler, C. Bosshard and P. Günter 245 (1999) 51
Vibronic structure of PTCDA stacks: the exciton–phonon-charge-transfer dimer, M.H. Hennessy, Z.G. Soos, R.A. Pascal Jr. and A. Girlando 245 (1999) 199
Nonlinear optical spectra of C_{70}, F.P. Strohkendl, T.J. Axenson, R.J. Larsen, L.R. Dalton, R.W. Hellwarth and Z.H. Kafafi 245 (1999) 285
All-optical devices in polymer optical fiber, M.G. Kuzyk, D.W. Garvey, S.R. Vigil and D.J. Welker 245 (1999) 533

Electric and magnetic properties

Highly transparent and birefringent chromophores for organic photorefractive materials, R. Wortmann, C. Glania, P. Krämer, K. Lukaszuk, R. Matschiner, R.J. Twieg and F. You 245 (1999) 107

Coupling of electronic and nuclear motion

Amplification of NLO responses: vibronic and solvent effects in push–pull polyenes, A. Painelli 245 (1999) 185
Vibronic structure of PTCDA stacks: the exciton–phonon-charge-transfer dimer, M.H. Hennessy, Z.G. Soos, R.A. Pascal Jr. and A. Girlando 245 (1999) 199
Vibrational versus electronic first hyperpolarizabilities of π-conjugated organic molecules: an ab initio Hartree–Fock investigation upon the effects of the nature of the linker, B. Champagne and B. Kirtman 245 (1999) 213

Molecular photophysical processes

Polymethine and squarylium molecules with large excited-state absorption, J.H. Lim, O.V. Przhonska, S. Khodja, S. Yang, T.S. Ross, D.J. Hagan, E.W. Van Stryland, M.V. Bondar and Y.L. Slominsky 245 (1999) 79
Photoassisted alignment and formation of polarization gratings in a ferroelectric liquid crystal, B. Saad, T.V. Galstyan, L. Dinescu and R.P. Lemieux 245 (1999) 395
Photogeneration, charge transport, and photoconductivity of a novel PVK/CdS-nanocrystal polymer composite, J.G. Winiarz, L. Zhang, M. Lal, C.S. Friend and P.N. Prasad 245 (1999) 417

Photochromism and holographic grating recording on a chiral side-chain liquid crystalline copolymer containing azobenzene chromophores, L.M. Blinov, M.V. Kozlovsky and G. Cipparrone 245 (1999) 473
Molecular photonics of a highly nonlinear organic fiber core liquid for picosecond–nanosecond optical limiting application, I.C. Khoo, P.H. Chen, M.V. Wood and M.-Y. Shih 245 (1999) 517

Nonlinear responses (incl. optical)

Third-order nonlinear optical properties of porphyrazine, phthalocyanine and naphthalocyanine germanium derivatives: Demonstrating the effect of π-conjugation length on third-order optical nonlinearity of two-dimensional molecules, H.S. Nalwa, M. Hanack, G. Pawlowski and M.K. Engel 245 (1999) 17
Novel unsymmetrically substituted push–pull phthalocyanines for second-order nonlinear optics, G. Rojo, G. de la Torre, J. García-Ruiz, I. Ledoux, T. Torres, J. Zyss and F. Agulló-López 245 (1999) 27
The molecular and supramolecular engineering of polymeric electro-optic materials, B.H. Robinson, L.R. Dalton, A.W. Harper, A. Ren, F. Wang, C. Zhang, G. Todorova, M. Lee, R. Aniszfeld, S. Garner, A. Chen, W.H. Steier, S. Houbrecht, A. Persoons, I. Ledoux, J. Zyss and A.K.Y. Jen 245 (1999) 35
Determination of the first hyperpolarizability of multiphoton fluorescent nonlinear optical chromophores via hyper-Rayleigh scattering using fluorescence quenching, E. Schmälzlin, U. Bitterer, H. Langhals, C. Bräuchle and K. Meerholz 245 (1999) 73
Polymethine and squarylium molecules with large excited-state absorption, J.H. Lim, O.V. Przhonska, S. Khodja, S. Yang, T.S. Ross, D.J. Hagan, E.W. Van Stryland, M.V. Bondar and Y.L. Slominsky 245 (1999) 79
Highly transparent and birefringent chromophores for organic photorefractive materials, R. Wortmann, C. Glania, P. Krämer, K. Lukaszuk, R. Matschiner, R.J. Twieg and F. You 245 (1999) 107
Non-linear optical response of single molecules, Ph. Tamarat, F. Jelezko, Ch. Brunel, A. Maali, B. Lounis and M. Orrit 245 (1999) 121
Second-harmonic generation of biological interfaces: probing the membrane protein bacteriorhodopsin and imaging membrane potential around GFP molecules at specific sites in neuronal cells of *C. elegans*, A. Lewis, A. Khatchatouriants, M. Treinin, Z. Chen, G. Peleg, N. Friedman, O. Bouevitch, Z. Rothman, L. Loew and M. Sheres 245 (1999) 133
Electronic screening in second order optical polarizabilities of elongated Donor/Acceptor polyenes, S. Tretiak, V. Chernyak and S. Mukamel 245 (1999) 145
Amplification of NLO responses: vibronic and solvent effects in push–pull polyenes, A. Painelli 245 (1999) 185
Vibrational versus electronic first hyperpolarizabilities of π-conjugated organic molecules: an ab initio Hartree–Fock investigation upon the effects of the nature of the linker, B. Champagne and B. Kirtman 245 (1999) 213
Analysis of the linear and non-linear optics of crystals of CHI_3, S_8 and their 1:3 complex, R.W. Munn, J.F. Kelly and F.M. Aicken 245 (1999) 227
Nonlinear optical properties of polyenoctupoles: a multipolar tensorial quantum analysis, C. Andraud, T. Zabulon, A. Collet and J. Zyss 245 (1999) 243
Conformation and solvent dependence of the first and second molecular hyperpolarizabilities of charge-transfer chromophores. Quantum-chemical calculations, J. Lipiński and W. Bartkowiak 245 (1999) 263

Nonlinear optical spectra of C_{70}, F.P. Strohkendl, T.J. Axenson, R.J. Larsen, L.R. Dalton, R.W. Hellwarth and Z.H. Kafafi 245 (1999) 285
In-situ profiling of dipole polarization distributions in poled nonlinear optical polymers with electrothermal and optical techniques, S. Bauer-Gogonea, S. Bauer and W. Wirges 245 (1999) 297
On the measurement of the electro-optic properties of poled side-chain copolymer films with a modified Teng–Man technique, F. Michelotti, G. Nicolao, F. Tesi and M. Bertolotti 245 (1999) 311
Characterization of single-mode polymer optical fiber and electrooptic fiber devices, M.G. Kuzyk, D.W. Garvey, B.K. Canfield, S.R. Vigil, D.J. Welker, J. Tostenrude and C. Breckon 245 (1999) 327
Electric-field-induced optical second-harmonic generation in poly(phenylene vinylene) light-emitting diodes, R. Hildebrandt, H.-M. Keller, G. Marowsky, W. Brütting, T. Fehn, M. Schwoerer and J.E. Sipe 245 (1999) 341
Low-power frequency conversion through parametric interaction and cascaded processes in a *N*-(4-nitrophenyl)-L-prolinol crystal, G.P. Banfi, P.K. Datta, V. Degiorgio, D. Fortusini, E.E.A. Shepherd and J.N. Sherwood 245 (1999) 345
Organic nonlinear optical crystal DAST growth and its device applications, S. Sohma, H. Takahashi, T. Taniuchi and H. Ito 245 (1999) 359
Sodium 3-methyl-4-nitrophenolate dihydrate: a crystal engineering route towards new herringbone structures for quadratic non-linear optics, R. Masse, J.-F. Nicoud, M. Bagieu-Beucher and C. Bourgogne 245 (1999) 365
Nonlinear optical organic co-crystals of merocyanine dyes and phenolic derivatives with short hydrogen bonds, C. Bosshard, F. Pan, M.S. Wong, S. Manetta, R. Spreiter, C. Cai, P. Günter and V. Gramlich 245 (1999) 377
Polymer dispersed liquid crystals: effects of photorefractivity and local heating on holographic recording, F. Simoni, G. Cipparrone, A. Mazzulla and P. Pagliusi 245 (1999) 429
On spontaneous and photoinduced orientational mobility of dye molecules in polymers, M. Dumont and A. El Osman 245 (1999) 437
Efficiency dynamics of diffraction gratings recorded in liquid crystalline composite materials by a UV interference pattern, R. Caputo, A.V. Sukhov, N.V. Tabiryan and C. Umeton 245 (1999) 463
Polymer electro-optic devices for integrated optics, W.H. Steier, A. Chen, S.-S. Lee, S. Garner, H. Zhang, V. Chuyanov, L.R. Dalton, F. Wang, A.S. Ren, C. Zhang, G. Todorova, A. Harper, H.R. Fetterman, D. Chen, A. Udupa, D. Bhattacharya and B. Tsap 245 (1999) 487
Application of the polyconjugated main chain polymer DPOP-PPV for ultrafast all-optical switching in a nonlinear directional coupler, Th. Gabler, A. Bräuer, H.-H. Hörhold, T. Pertsch and R. Stockmann 245 (1999) 507
All-optical devices in polymer optical fiber, M.G. Kuzyk, D.W. Garvey, S.R. Vigil and D.J. Welker 245 (1999) 533
Molecular photonics of a highly nonlinear organic fiber core liquid for picosecond–nanosecond optical limiting application, I.C. Khoo, P.H. Chen, M.V. Wood and M.-Y. Shih 245 (1999) 517

Multiphoton phenomena

All-optical devices in polymer optical fiber, M.G. Kuzyk, D.W. Garvey, S.R. Vigil and D.J. Welker 245 (1999) 533

Molecular photonics of a highly nonlinear organic fiber core liquid for picosecond–nanosecond optical limiting application, I.C. Khoo, P.H. Chen, M.V. Wood and M.-Y. Shih 245 (1999) 517

Reactions (incl. dissociation)

Thermal stability and rate order dependence for the thermal decomposition of electro-optic dyes, L. Zhang, P. Kalamegham, M. Romero and C.W. Dirk 245 (1999) 99

Molecular motion (incl. diffusive)

On spontaneous and photoinduced orientational mobility of dye molecules in polymers, M. Dumont and A. El Osman 245 (1999) 437

Surface chemical physics

A study of the glass transition of polypropylene surfaces by sum-frequency vibrational spectroscopy and scanning force microscopy, D.H. Gracias, D. Zhang, L. Lianos, W. Ibach, Y.R. Shen and G.A. Somorjai 245 (1999) 277

Critical behavior and phase transitions

A study of the glass transition of polypropylene surfaces by sum-frequency vibrational spectroscopy and scanning force microscopy, D.H. Gracias, D. Zhang, L. Lianos, W. Ibach, Y.R. Shen and G.A. Somorjai 245 (1999) 277